

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/635,422	08/06/2003	Wolfgang Holzapfel	56/415	7327
757	7590 07/14/2005		EXAMINER	
BRINKS HOFER GILSON & LIONE P.O. BOX 10395			ANDERSON, DENISE BROWN	
CHICAGO, IL 60610			ART UNIT	PAPER NUMBER
,			2877	-

DATE MAILED: 07/14/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		A Comment of the Comm	
	Application No.	Applicant(s)	
	10/635,422	HOLZAPFEL ET AL.	
Office Action Summary	Examiner	Art Unit	
<u> </u>	Denise B. Anderson	2877	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet wi	h the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a repleted in the period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).		eply be timely filed  (30) days will be considered timely.  THS from the mailing date of this communication.  ANDONED (35 U.S.C. § 133).	
Status			
<ul> <li>1) Responsive to communication(s) filed on 22 L</li> <li>2a) This action is FINAL. 2b) This action is FINAL.</li> <li>3) Since this application is in condition for allowed closed in accordance with the practice under</li> </ul>	s action is non-final. ance except for formal matt		
Disposition of Claims		•	
4) ☐ Claim(s) 1-31 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-31 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/	awn from consideration.		
Application Papers			
9) ☐ The specification is objected to by the Examin 10) ☐ The drawing(s) filed on 8/6/03 is/are: a) ☐ ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction.	cepted or b) objected to edrawing(s) be held in abeyar ction is required if the drawing	ce. See 37 CFR 1.85(a). (s) is objected to. See 37 CFR 1.121(d).	
11) ☐ The oath or declaration is objected to by the E	examiner. Note the attached	Office Action or form PTO-152.	
Priority under 35 U.S.C. § 119			
a) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:  1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in A ority documents have been au (PCT Rule 17.2(a)).	pplication No received in this National Stage	
Attachment(s)  1)  Notice of References Cited (PTO-892)	4) ☐ Interview S	Summary (PTO-413)	
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/06 Paper No(s)/Mail Date 12/01/03.</li> </ul>	Paper No(	s)/Mail Date  nformal Patent Application (PTO-152)	

**DETAILED ACTION** 

Drawings

1. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4)

because reference characters describing diffraction orders (-1, +1, 0)/(+1, -1, +2) have

been used to designate both the 0° and 120° phase shifted signals (see figure 1).

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to

the Office action to avoid abandonment of the application. Any amended replacement

drawing sheet should include all of the figures appearing on the immediate prior version

of the sheet, even if only one figure is being amended. Each drawing sheet submitted

after the filing date of an application must be labeled in the top margin as either

"Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the examiner

does not accept the changes, the applicant will be notified and informed of any required

corrective action in the next Office action. The objection to the drawings will not be held

in abeyance.

Specification

1. The abstract of the disclosure is objected to because it exceeds the 150-word

limit as described in 37 CFR 1.72(b). Correction is required. See MPEP§ 608.01(b).

Claim Objections

2. Claim 13 is objected to because of the following informalities: the applicant uses

the word scanning in place of the word scale. In light of the specification, the examiner

interprets that the applicant meant to use the word scale instead of scanning.

Appropriate correction is required.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-4, 6, 16-19, 21, 29 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Michel et al (US Patent No. 5,760,959) further in view of Takamiya et al (US Patent No. 6,005,667) and Brake (US Patent No. 4,079,252).

3. As to claims 1 and 16, the applicant claims a light source connected to an object; an optical element; a scale grating connected to a second object; first and second partial beams of rays split by the scale grating; first and second scanning gratings receiving first and second partial beams of rays, respectively, and further splitting partial beams into 3<sup>rd</sup> and 4<sup>th</sup>, and 5<sup>th</sup> and 6<sup>th</sup> partial beams, respectively; relative movement between the scale grating and the light source, a periodically modulated interferential fringe pattern in a detection plane; a detection arrangement for detecting at least 3 phase-shifted scanning signals; and a matching between the detection period of individual detector elements and the spatial interferential pattern period.

In figure 1, Michel et al discloses a light source 1 connected to a first object such as a reading head movable with respect to the scale grating (see reference to the beam course in column 2, lines 29-31, where the European Patent Application 0 163 362 B1 is disclosed); an optical element (lens 2) arranged downstream from the light source and

Art Unit: 2877

produces an incoming beam of rays; and scale and scanning gratings (3, 4, and 3'). Michel et al further discloses a first set of diffracted partial beams from the first grating (column 2, lines 34-39), a second set of diffracted partial light beams generated by the second grating (column 2, lines 40-44), and a third grating that causes the second set of diffracted light beams to interfere with one another (column 2, lines 44-49). There is a fringe pattern suggested by the mere fact that the beams are brought to interfere. The interfered beams are projected along 3 different spatial directions onto subsequent photodetectors (see column 2, lines 50-58 and the photodetectors 5, 6, and 7 in figure 1). In this case, the detection arrangement would include the diffraction grating 3' where the partial beams interfere; the optical elements 11, 12, and 13 which focus the interfered beams along 3 different spatial directions; and the photodetectors 5, 6, and 7.

Michel et al does not disclose separated first and second scanning gratings for receiving the first and second partial beam of rays. Michel et al uses a single grating for this purpose (i.e., an integral structure where the two diffraction areas which receive the first and second partial beams are co-located). Takamiya et al discloses two separate gratings (5a and 5b in figure 1) for receiving the ± first-order diffraction light beams. It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Michel et al with the teachings of Takamiya for the purpose of altering an integral structure to one with separate parts.

Michel et al does not disclose a matching between the detection period of individual detector elements and the spatial interferential pattern period. Brake discloses a third grating that acts as a detection grating and has a period which is of the same

period as the fringe pattern (column 3, lines 34-40) and individual photosensitive devices (detector elements 8-11 in figure 1) whose outputs represent the fringe pattern at phase-specific points (column 2, lines 45-55). It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Michel et al with the teachings of Brake for the purpose of more effectively responding to different parts of the spatially periodic distribution of radiation and enabling use of larger photosensitive devices.

- 4. As to claims 2 and 17, the applicant claims that the light source is a semiconductor light source. Michel et al does not disclose the type of light source used. Takamiya et al discloses the use of a laser diode (see reference numeral 1 in figure 1 and column 3, line 24) as a source of light for use in a displacement measuring apparatus. It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Michel et al with the teachings of Takamiya et al for the purpose of achieving position measurements with a light source that provides low power consumption, such as a semiconductor light source.
- 5. As to claims 3 and 18, the applicant claims that the optical element comprises a lens. Michel et al discloses a lens (2) in figure 1 for collimating the light (1).
- 6. As to claims 4, 6, 19, and 21, the applicant claims that the scale and scanning gratings are phase gratings and that the 1<sup>st</sup> and 2<sup>nd</sup> partial beams (and the 3<sup>rd</sup> and 4<sup>th</sup> partial beams) correspond to the +/- 1<sup>st</sup> orders of diffraction. Michel et al discloses that the diffracted partial beams are of the 0<sup>th</sup>, and +/- 1<sup>st</sup> orders. Michel et al does not disclose whether the scale and scanning gratings are phase or amplitude gratings.

Art Unit: 2877

Takamiya et al discloses phase type gratings (column 3, lines 29-30 and line 38; column 4, lines 24-25). It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Michel et al with the teachings of Takamiya et al for the purpose of extinguishing the zero order beam by using a phase grating.

7. As to claims 29 and 30, the applicant claims that the detector period is matched to the fringe pattern period so that detector elements have scanning signals phase-shifted by 90° with respect to each other and that there are 4 such detector elements. Michel et al does not disclose the claimed features of claims 29 and 30. Brake et al discloses 4 photosensitve detectors (8, 9, 10, and 11 in figure 1) and describes the detector matching to the fringe pattern in column 2, lines 45-55. It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Michel et al with the teachings of Brake et al for the purpose of responding to different parts of the spatial distribution in the detection area.

Claims 5, 7, 20 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Michel et al (5,760,959), Takamiya et al (US Patent No. 6,005,667), Brake (US Patent No. 4,079,252) and further in view of Michel et al (US Patent No. 6,885,457).

8. As to claims 5, 7, 20 and 22, the applicant claims a specific bar-to-gap ratio and phase depth for the phase grating. In claims 7 and 22, the applicant further discloses that the scanning grating has a graduation period less than that of the scale grating and that the detector grating period is twice that of the fringe pattern period. Michel et al

Art Unit: 2877

(959), Takamiya et al, and Brake do not disclose the specific phase grating parameters (bar-to-gap ratio, phase depth, and grating period). Michel et al (457) discloses that gratings may have a phase depth of 180° (column 7, line 1) and a unity bar-to-gap ratio (column 6, lines 61-62). Further disclosed is the possible arrangement of graduation structures with different graduation periods. Since the periods are different, this implies that one is smaller than the other. Furthermore, the scale and scanning gratings claimed by the applicant are of the same type—diffraction phase gratings. It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Michel et al (959), Takamiya et al, and Brake with the teachings of Michel et al (457) for the purpose of incorporating specific grating parameters that can be used to suppress or allow the transmission of different diffraction orders and for subsequently, generating selected phase-shifted signals in the detection plane.

Claims 8 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Michel et al (US Patent No. 5,760,959), Takamiya et al (US Patent No. 6,005,667), Brake (US Patent No. 4,079,252) and further in view of Huber (US Patent No. 6,151,128).

9. As to claims 8 and 23, the applicant claims that the first and second scanning gratings are arranged together on a scanning plate. Michel et al, Takamiya et al, and Brake do not disclose a single plate holding two separated scanning gratings. Huber discloses a scanning plate AP with 2 phase gratings AF1 and AF2 (figure 1a). It would have been obvious to one of ordinary skill in the art at the time of the invention to

incorporate the teachings of Michel et al, Takamiya et al, and Brake with the teachings of Huber for the purpose of diffracting specific partial beams of light and avoiding unwanted scattered light.

Claims 9 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Michel et al (US Patent No. 5,760,959), Takamiya et al (US Patent No. 6,005,667), Brake (US Patent No. 4,079,252), Huber (US Patent No. 6,151,128) and further in view of Meyer et al (US Patent No. 5,493,399).

10. In claims 9 and 24, the applicant claims that the scanning plate is opaque outside the scanning grating areas. Michel et al, Takamiya et al, Brake, and Huber do not disclose an opaque scanning plate. Meyer et al discloses side-by-side scanning fields (numeral 10 in figure 2) separated from each other by opaque regions (column 3, lines 46-48). It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Michel et al, Takamiya et al, Brake, and Huber with the teachings of Meyer et al for the purpose of receiving or generating selected diffraction orders as Huber describes in column 1, lines 34-35.

Claims 10-12 and 25-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Michel et al (US Patent No. 5,760,959), Takamiya et al (US Patent No. 6,005,667), Brake (US Patent No. 4,079,252), and further in view of Holzapfel (US Patent No. 5,814,812).

Page 9

Art Unit: 2877

As to claims 10-12 and 25-27, the applicant claims that the first scanning grating 11. is a distance a<sub>1</sub> from the scale grating. The applicant further claims a specific relationship between the graduation period and the distances between the scale and scanning grating and between the scanning and detection gratings. It is important to note first that the applicant describes all gratings as phase gratings. Next, it is important to note that the applicant cites the reason for selection of distances and grating periods on page 9 of the specification (see paragraph 0037). The selection reason is to eliminate harmonic wave portions from the generated phase signals. Michel et al, Takamiya, and Brake do not disclose a specific relationship between the graduation period and the distances between gratings. Holzapfel discloses a device for filtering harmonic signal components that can be used in position measuring systems and a relationship between grating periods and grating distances (column 4, lines 21-39). Though the specific relationship of Holzapfel is not identical to what the applicant claims, they serve the same purpose - to filter harmonic wave portions. It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Michel et al, Takamiya et al, and Brake with the teachings of Holzapfel for the purpose of generating phase signals which are not disturbed by harmonic wave portions and thus, have the desired wave trend for the periodic output signals (see Holzapfel, column 1, lines 39-45).

Claims 13 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Michel et al (US Patent No. 5,760,959), Takamiya et al (US Patent No. 6,005,667),

Brake (US Patent No. 4,079,252), and further in view of admitted prior art.

12. As to claims 13 and 28, the examiner interprets that the applicant claims that the

scale (not scanning) grating is arranged in an area of the beam waist of the rays

generated by the optical element. Michel et al, Takamiya et al, and Brake do not

disclose the specific arrangement of the scale grating with respect to the beam waist of

the incoming light rays. This specific arrangement has been described by the applicant

as prior art in the background of the invention, and is therefore, admitted prior art (see

also US Patent No. 6,005,667 as mentioned by the applicant). It would have been

obvious to one of ordinary skill in the art at the time of the invention to incorporate the

teachings of Michel et al, Takamiya et al, and Brake with the teachings of the admitted

prior art for the purpose of having the beam waist correspond to several grating lines or

more.

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Michel et

al (US Patent No. 5,760,959), Takamiya et al (US Patent No. 6,005,667), Brake (US

Patent No. 4,079,252), and further in view of Huber (5,430,546).

13. As to claim 14, the applicant claims that the +/-2<sup>nd</sup> orders of diffraction are split

from the detection arrangement that is embodied as a phase grating. Michel et al,

Takamiya et al, and Brake do not disclose spitting into +/-2<sup>nd</sup> orders of diffraction. Huber

Art Unit: 2877

(546) discloses a detection arrangement embodied as a phase grating (reference numeral 4 in figure 1) that splits light beams into +/- 2<sup>nd</sup> orders of diffraction (column 4, lines 52-66). It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Michel et al, Takamiya et al, and Brake with the teachings of Huber (546) for the purpose of obtaining signals of higher intensity and thus, higher resolution.

Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Michel et al (US Patent No. 5,760,959), Takamiya et al (US Patent No. 6,005,667), Brake (US Patent No. 4,079,252), Huber (5,430,546), and further in view of Michel et al (US Patent No. 6,885,457).

14. As to claim 15, the applicant discloses a bar-to-gap ratio that is not 1:1, a phase depth that is not 180°, and a detector grating period of twice the fringe pattern period. Michel et al (959), Takamiya et al, Brake, and Huber does not disclose the grating parameters claimed by the applicant. Michel et al (457) discloses that gratings may have a phase depth of 180° (column 7, line 1) and a unity bar-to-gap ratio (column 6, lines 61-62). Further disclosed is the possible arrangement of graduation structures with different graduation periods. Since the periods are different, this implies that one is smaller than the other and the amount by which it is smaller could be any number. Furthermore, the scale and scanning gratings claimed by the applicant are of the same type—diffraction phase gratings. It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the teachings of Michel et al (959),

Art Unit: 2877

Takamiya et al, Brake, and Huber with the teachings of Michel et al (457) for the

purpose of incorporating specific grating parameters that can be used to suppress or

allow the transmission of different diffraction orders and for subsequently, generating

selected phase-shifted signals in the detection plane.

Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Michel et

al (US Patent No. 5,760,959), Takamiya et al (US Patent No. 6,005,667), Brake (US

Patent No. 4,079,252), and further in view of Hercher (US Patent No. 5,530,543).

15. As to claim 31, the applicant claims that the individual detector elements are

connected in an electrically conducting manner that provides identically phased

scanning signals. Michel et al, Takamiya et al, and Brake do not disclose an electrically

conducting connection between detector elements. Hercher discloses a detector array

for use in interferometric metrology systems. The outputs from detector array elements

are electrically interconnected so as to form three or more signals displaced from one

another in phase by a fixed amount (see abstract and figure 1A). It would have been

obvious to one of ordinary skill in the art at the time of the invention to incorporate the

teachings of Michel et al, Takamiya et al, and Brake with the teachings of Hercher for

the purpose of enhancing the accuracy of generating absolute phase information that is

used to determine desired displacement.

Conclusion

The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

Holzapfel (US Patent No. 5,994,692) discloses a photo-electric position measuring system which includes a scanning grating with several scanning grating areas and projects higher diffraction orders (+/- 2<sup>nd</sup>) in the detection area.

Huber (US Patent No. 5,689,336) discloses a photoelectric position measuring system whereby 3 or 4 phase signals can be generated and spatially separated by 120° or 90°, respectively.

## Fax/Telephone Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Denise B. Anderson whose telephone number is 571-272-8324. The examiner can normally be reached on Mon-Fri (9:30 AM - 6 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley Jr. can be reached on 571-272-2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).